Applicants: Brehm, et al.

Serial No.: 10/599,066

Docket No.: 1093-162 PCT/US

Response to Non-Final Office Action Mailed September 11, 2009

Page 2 of 10

LISTING OF CLAIMS:

The following listing of claims will replace all prior versions and listings of claims in the

application:

What is claimed is:

1. (Currently amended) A security and/or valuable document, including a

banknote, comprising a paper support, a film element which has one or more optical security

features, and a sealing layer, wherein the support has at least one through-hole, the at least one

through-hole being closed by means of the film element which projects beyond the at least one

through-hole on all sides,

the sealing layer covers the surface of the film element at least in the region of the at

least one through-hole, the sealing layer being applied to the side of the support which is in

opposite relationship to the film element the sealing layer being formed from a lacquer layer

which is applied by at least one of printing, pouring, sprinkling and spraying, wherein the sealing

layer is directly applied to at least a portion of cut edges forming inner surfaces of the through-

hole.

2. (Previously Presented) A security and/or valuable document according to

claim 1, wherein the sealing layer has a surface area of at least 80% the surface area of the film

element.

Applicants: Brehm, et al. Serial No.: 10/599,066

Docket No.: 1093-162 PCT/US

Response to Non-Final Office Action Mailed September 11, 2009

Page 3 of 10

- 3. (Previously presented) A security and/or valuable document according to claim 1, wherein the area of the sealing layer has 100 to 120% of the area of the film element.
- 4. (Previously presented) A security and/or valuable document according to claim 1, wherein the sealing layer is transparent.
- 5. (Previously presented) A security and/or valuable document according to claim 1, wherein at least one of the sealing layer and the film element is overprinted with a printing at least in region-wise manner.
- 6. (Previously presented) A security and/or valuable document according to claim 1, wherein the sealing layer is of a thickness in the range of 2 to 10 μ m.
- 7. (Previously presented) A security and/or valuable document according to claim 6, wherein the sealing layer is applied by printing to the support by means of a screen printing process.
- 8. (Previously presented) A security and/or valuable document according to claim 6, wherein the lacquer layer has an expansion coefficient which approximately corresponds to the expansion coefficient of the film element.
- 9. (Previously presented) A security and/or valuable document according to one claim 1 wherein the sealing layer has an expansion coefficient which approximately corresponds to the expansion coefficient of the film element, wherein the length expansion

Applicants: Brehm, et al.

Serial No.: 10/599,066

Docket No.: 1093-162 PCT/US

Response to Non-Final Office Action Mailed September 11, 2009

Page 4 of 10

coefficient and/or the modulus of elasticity of the film element approximately corresponds to that of the sealing layer.

- 10. A security and/or valuable document according to (Previously presented) claim 9 wherein the sealing layer has a length expansion coefficient which differs from a length expansion coefficient of the film element by not more than 10%.
- 11. (Previously presented) A security and/or valuable document according to claim 9, wherein the sealing layer has a modulus of elasticity which differs from the modulus of elasticity of the film element by not more than 10%.
- 12. A security and/or valuable document according to claim 10, (Original) wherein the difference between length expansion coefficients is not more than 5%.
- 13. (Original) A security and/or valuable document according to claim 11, wherein the difference between moduli of elasticity is not more than 5%.
 - 14. (Currently amended) A security and/or valuable document, comprising: a paper support including at least one through-hole;
- a film element including at least one optical security feature, said film element covering said at least one through-hole and at least a portion of said support surrounding said at least one through-hole, said film element disposed on a first side of said support; and
- a sealing layer covering said at least one through-hole, said sealing layer disposed on a second side of said support opposed to said first side, wherein said sealing layer includes a

Applicants: Brehm, et al.

Serial No.: 10/599,066

Docket No.: 1093-162 PCT/US

Response to Non-Final Office Action Mailed September 11, 2009

Page 5 of 10

lacquer, wherein the sealing layer directly engages at least a portion of both said film element

and cut edges forming inner surfaces of the through-hole.

15. (Original) A security and/or valuable document according to Claim 14,

wherein said security document includes a bank note.

16. (Original) A security and/or valuable document according to Claim 14,

wherein said sealing layer is applied by at least one of printing, pouring, sprinkling and

spraying.

17. (Cancelled)

18. (Previously presented) A security and/or valuable document according to

claim 1, wherein at least a portion of the sealing layer substantially extends from the covered

surface of the film element to the side of the support which is in opposite relationship to the film

element.

19. (Cancelled)

20. (Previously presented) A security and/or valuable document according to

claim 14, wherein at least a portion of the sealing layer substantially extends from a surface of

the film element to the side of the support which is in opposite relationship to the film element.